

suzuka.com.my Of f & suzuka.group Hotline : +6012-258 7388

Photos of the products shown in this catalogue may vary in color due to lighting condition & printing. We suggest you examine actual product samples before ordering.




SVR-E1-2409

INTERIOR TEXTURED PAINTS

Complies to the • American California Proposition 65 Standard. • LEED, U.S. Green Building

Council Standard.





Warm Light

1

Neutral Light

Cool Light

• LEED, U.S. Green Building Council Standards

Create two different patterns with **STRATO VEROSA** using different tools and techniques!



SVR-101 Galactic Grey





3



SVR-103 Cotton Foil




SVR-104 Wool Accent



SVR-108 Birch Paper





SVR-104 Wool Accent




SVR-105 Lucent Moon

SVR-106 Pastel Foam



SVR-107 Gypsum Sands



SVR-109 Caramel Clay




All color shown are as close to the actual Suzuka® Strato® colors as modern printing techniques permit, nonetheless, there are still color/tone

We highly recommend seeing actual samples before ordering.

 \triangle

differences.

SVR-108 Birch Paper



SVR-111 Blonde Creme



T



SVR-112 Soft Bloom



SVR-114 Lemon Lustre



SVR-116 Dusk Dew



SVR-118 Terra Cotta



SVR-117 Classic Taup









SVR-113 Blossom Blush



SVR-115 Summer Scent



SVR-117 Classic Taupe





All color shown are as close to the actual Suzuka® Strato® colors as modern printing techniques permit, nonetheless, there are still color/tone differences.

We highly recommend seeing actual samples before ordering.





Superior primer for concrete, skimmed or masonry surfaces.

This sealer that has good substrate penetration abilities to increase adhesion of product to prevent chalking or peeling off. It has excellent alkaline resistance properties that can prevent efflorescence. It is an ideal base coat for any SUZUKA® or any wall finish products.

1.8 - 2.0 mm

Packing Size: 20L 5L 1L

210 psi/150kg/cm²

Coverage	Drying Time (hour)				
6.5 - 8.5 m²/l/coat	Surface Dry Subs	 t Hard Dry trate Temperature: 2 		Recoating °C	: 5
Suitable for: • Masonry wall • Brickwork • Plaster • Skimmed Coat • Asbestos free s	 Features: Excellent alkaline resistance to prevent efflorescence. Good for new walls and repainting. Prevents skim coat from chalking & peeling off. Extremely good penetration. Excellent adhesion. Excellent adhesion. Exterior and interior use. Applicable with brush, roller or spray gun. 				
Airless	Nozzle	Spray Angle Degr	ee	Pressure	e

65° - 80°

Application Technique

Preparation:

- Surface shall be dry and free form dirt, oil, grease and foreign matters.
- Surface unevenness, crock, and the like shall be treated with cement filler.
- Primer is required for stained or painted surface with color other than white.



Primer (Optional)

Roll 1-2 layers of primer on the entire surface. Allow 1 hour to dry between the layers. (The primer can be diluted with maximum 3% of clean water)

Tool: Roller



Texture Coat **Sponge Pattern**



(1) Dampen the sponge with water and wring out excess moisture. This helps the paint spread more evenly and prevents it from soaking too deeply into the sponge.

(2) Lightly dip the sponge into the paint, ensuring it picks up a small, even amount. Avoid overloading the sponge with paint.

(3) Gently press the sponge onto the surface, using a light circular motion.

Start at the top of the wall and work your way down in sections. Overlap each stipple slightly to blend the edges and avoid harsh lines. Rotate the sponge occasionally to vary the pattern and prevent repetitive textures.



Let dry for 1-2 hours between coats and to fully dry in 24 hours.

Tool: Sponge



9



IMPORTANT: Color may vary on application technique & amount of material used.

Dilution Guide: Primer : Max 3% of clean water | Texture : Do not dilute.





(1) Work the paint into the surface using cross-hatch strokes (a combination of vertical and horizontal strokes).

Apply 2 layers.

Let dry for 1–2 hours between coats and to fully dry in 24 hours.

Tool: Brush



Recommended Tools: Roller, Brush & Sponge

Packing Data

Material	Packing	Coverage (per liter / ±5%)
Strato Primer	1 L	7 – 9 sqm
Natural (Optional)	4 L	28 - 36 sqm
Strato Verosa	1 L	6 - 10 sqm
Texture Coat	4 L	24 - 40 sqm

* Primer & Texture Coat are sold separately