



HOGO

TOILET PARTITION  
FURNITURE & MILLWORKS

**BLOCK  
WALL**

**STONE**

**TILES**

**TOILET  
PARTITION  
& LOCKERS**

# TOILET PARTITION & LOCKER SYSTEM

FACTORY PROCESS

TOILET PARTITION SYSTEM

LOCKER SYSTEM

TOILET PARTITION HARDWARE



# FACTORY PROCESS



OEM BY:  
**JIALIFU** 佳丽福



# TOILET PARTITION SYSTEM

---



# TOILET PARTITION SYSTEM

---



# TOILET PARTITION SYSTEM



# TOILET PARTITION SYSTEM





# TOILET PARTITION SYSTEM



# TOILET PARTITION SYSTEM



# TOILET PARTITION SYSTEM





# TOILET PARTITION SYSTEM





# TOILET PARTITION SYSTEM



# TOILET PARTITION SYSTEM



# LOCKER SYSTEM





# LOCKER SYSTEM






# TOILET PARTITION HARDWARE

## LOCK

### JLF75-01A LOCK




Material: 304 or 316 Stainless Steel  
 Precision Casting  
 Finished: Hairline, Black, Golden, White  
 Feature  
 \*Hexagon socket head cap screw  
 \*Can Be Stopped at 0°, 90°, 180°



### JLF75-01D LOCK




Material: 304 Stainless Steel  
 316 Stainless Steel  
 Precision Casting  
 Finished: Hairline, Black, Golden, White  
 \*Can Be Stopped at 0°, 90°, 180°  
 \*Hidden screws



### JLF79-1N LOCK




Material: 304 Stainless Steel  
 Precision Casting  
 Finished: Hairline, Black, Golden, White  
 \*Can Be Stopped at 0°, 90°, 180°



### JLF98-01 LOCK




Material: 304 Stainless Steel  
 Finished: Hairline  
 \*Can Be Stopped at 0°, 90°, 180°



### JLF01A LOCK




Material: 304 Stainless Steel  
 Precision Casting  
 Finished: Hairline, Black, Golden, White



### JLF01B LOCK




Material: 304 Stainless Steel  
 Precision Casting  
 Finished: Hairline, Black, Golden, White



### JLF02B LOCK




Material: 304 Stainless Steel  
 Precision Casting  
 Finished: Hairline, Black, Golden, White



### JLF02C LOCK



Material: 304 Stainless Steel  
 Precision Casting  
 Finished: Hairline, Black, Golden, White



LOCK

**JLF04C LOCK**



Material: 304 Stainless Steel  
Precision Casting  
Finished: Hairline, Black, Golden, White  
\*Can Be Stopped at 0°, 90°, 180°



**JLF04D LOCK**



Material: 304 Stainless Steel  
Precision Casting  
Finished: Hairline, Black, Golden, White  
\*Can Be Stopped at 0°, 90°, 180°



**JLF04C-SD LOCK**



Material: 304 Stainless Steel  
Precision Casting  
Finished: Hairline, Black, Golden, White  
\*Can Be Stopped at 0°, 90°, 180°  
\*For Sliding Door Only



**JLF04D-SD LOCK**



Material: 304 Stainless Steel  
Precision Casting  
Finished: Hairline, Black, Golden, White  
\*Can Be Stopped at 0°, 90°, 180°  
\*For Sliding Door Only




**JLF05B LOCK**




Material: 304 Stainless Steel  
Precision Casting  
Finished: Hairline, Black, Golden, White




**JLF05C LOCK**




Material: 304 Stainless Steel  
Precision Casting  
Finished: Hairline, Black, Golden, White




**JLF06F LOCK**




Material: 304 Stainless Steel  
Precision Casting  
Finished: Hairline, Black, Golden, White  
\*Flush at Front



**JLF07G LOCK**




Material: 304 Stainless Steel  
Precision Casting  
Finished: Hairline, Black, Golden, White



LOCK

**JLF80-A LOCK**



Material: 316 Stainless Steel  
Precision Casting  
Finished: Hairline

Technical drawings showing dimensions: 50, 36.9, 12, 4, 95, 18, 50, 14, 42.

**JLF80-1A LOCK**




Material: 316 Stainless Steel  
Precision Casting  
Finished: Hairline

Technical drawings showing dimensions: 12, 86, 50, 50, 85, 20.5, 55, 41, 41, 50, 10, 50.

HINGE


**JLF79-02 HINGE**



Material: 304 Stainless Steel  
Finished: Hairline  
Use for 15-25 kg  
\*With Screw & Cover  
\*Angle Adjustable

Technical drawings showing dimensions: 18, 19.5, 77, 21, 27, 9, 74, 21, 71, 66, 77, 79, 74, 21, 71, 66, 77, 79.


**JLF98-02N HINGE**



Material: 304 Stainless Steel  
Finished: Hairline  
Use for 15-25 kg  
\*With Screw & Cover  
\*Angle Adjustable

Technical drawings showing dimensions: 74, 15, 27.5, 3, 67, 62.5, 64, 64, 17.5, 74, 5.5, 4.5, 27.5, 5.

**JLF-S97/JLF75-N02 HINGE**



Material: 316 Stainless Steel (**JLF-S97**)  
304 Stainless Steel (**JLF75-N02**)  
Finished: Hairline, Black, Golden, White  
Use for 20-40 kg  
\*With Screw & Cover  
\*Angle Adjustable

Technical drawings showing dimensions: 65, 75, 15, 6.5.


**JLF76-02 HINGE**



Material: 304 Stainless Steel  
Finished: Hairline  
Use for 30-80 kg  
\*With Screw  
\*Angle Adjustable

Technical drawings showing dimensions: 72, 27.5, 3, 79, 80.5, 80.5, 19, 17, 72, 4.5, 27.5, 30.


**JLF33-02 HINGE**



Material: 304 Stainless Steel  
Finished: Hairline  
Use for 15-25 kg  
\*With Screw  
\*Angle Adjustable

Technical drawings showing dimensions: 68, 92, 96, 22, 68, 22.

**JLF26-02 HINGE**



Material: 304 Stainless Steel  
Finished: Hairline  
Use for 20-35 kg  
\*With Screw & Cover  
\*Angle Adjustable


Technical drawings showing dimensions: 74, 15, 30, 3.5, 67, 66, 79, 18, 74, 6.5, 72, 1.5.

HINGE

JLF-H2 HINGE




Material: 304 Stainless Steel  
 Finished: Hairline  
 Use for 30-80 kg  
 \*With Screw  
 \*Angle Adjustable



JLF-91/92 HINGE




Material: 304 Stainless Steel (JLF-92)  
 Zinc Alloy (JLF-91)  
 Finished: Hairline  
 Use for 20-30 kg  
 \*With Screw  
 \*Universal  
 \*Use for 18/25mm panel



JLF-RM-02 HINGE




Material: 304 Stainless Steel  
 Finished: Hairline  
 Use for 25-35 kg  
 \*With Screw & Cover  
 \*Angle Adjustable



JLF-1825 HINGE




Material: 304 Stainless Steel  
 Finished: Hairline  
 Use for 20-30 kg  
 \*With Screw  
 \*Universal  
 \*Use for 18/25mm panel



JLFRB-822 HINGE




Material: 304 Stainless Steel  
 Finished: Hairline  
 \*With Screw



JLF-10 HINGE




Material: 304 Stainless Steel  
 Finished: Hairline  
 Use for 35 kg  
 \*With Screw  
 \*Angle Adjustable  
 \*Use for 27mm panel (JLF-10-28)  
 \*Use for 37mm panel (JLF-10-38)



JLF-ZY HINGE




Material: 304 Stainless Steel  
 Finished: Hairline  
 Use for 35-80 kg  
 \*With Screw  
 \*Angle Adjustable  
 \*Use for 18/25/36mm panel



JLF-19Z HINGE



Material: 316 Stainless Steel  
 Finished: Hairline  
 Use for 35-80 kg  
 \*With Screw  
 \*Angle Adjustable  
 \*Use for 37/40/42/44mm panel





LEG

**JLF75-03 LEG**



Material: 304 Stainless Steel  
 Finished: Hairline  
 Use For 12mm Panel  
 Height: 100/150 mm or Special Size



**JLFRG-25 LEG**



Material: Aluminum  
 Finished: Hairline  
 Use For 12mm Panel  
 Length: 6m




**JLF76-03 LEG**




Material: 304 or 316 Stainless Steel  
 Finished: Hairline  
 Height: 70-100mm,  
 130-150mm  
 or Special Size



**JLF Shoe Box 12 LEG**



Material: Aluminum  
 Finished: Hairline  
 Use For 12/18mm Panel  
 Height: 50/70/100mm  
 Length: 6m




**JLF79-03 LEG**




Material: 304 or 316 Stainless Steel  
 Finished: Hairline  
 Height: 100/150 mm or Special Size



**JLFRB-870 LEG**



Material: 304 Stainless Steel  
 Finished: Hairline  
 Use For 12/18mm Panel



**JLF-27-1 LEG**



Material: 304 or 316 Stainless Steel  
 Finished: Hairline  
 Use For 27,37mm Panel  
 Height: 80-100mm(304 SS)  
 150mm(316 SS)  
 or Special Size



**JLFSS Shoe Box 11 LEG**




Material: 304 Stainless Steel  
 Finished: Hairline  
 Use For 12/18mm Panel  
 Height: 50/100mm




## HANDLE


**JLF88-04 HANDLE**




Material: 304 Stainless Steel  
Precision Casting  
Finished: Hairline  
\*Burglarproof



**JLF79-04 HANDLE**



Material: 304 or 316 Stainless Steel  
Finished: Hairline, Black, Golden, White




## COAT HOOK


**JLF79-05 COAT HOOK**




Material: 304 Stainless Steel  
Finished: Hairline, Black



**JLF98-05 COAT HOOK**



Material: 304 Stainless Steel  
Finished: Hairline, Black




**JLF75-05 COAT HOOK**




Material: 304 or 316 Stainless Steel  
Finished: Hairline, Black, Golden, White



**JLF76-05 COAT HOOK**



Material: 304 or 316 Stainless Steel  
Finished: Hairline, Black, Golden, White



## L BRACKET

**JLF79-06 L BRACKET**



Material: 304 Stainless Steel  
Finished: Hairline, Black, Golden  
Type: 2 & 4 Hole  
\*1.5, 2, 3mm Thick



**JLF76-06 L BRACKET**



Material: 316 Stainless Steel  
Finished: Hairline, Black, Golden  
Type: 2 Hole  
\*3mm Thick




## L BRACKET

JLFRB-78 L BRACKET




Material: 304 Stainless Steel  
Finished: Hairline or Coating



JLF76-08 L CONNECTOR FOR 25φ PIPE




Material: 304 or 316 Stainless Steel  
Finished: Hairline



JLFRB-195 BRACKET




Material: 304 Stainless Steel  
Finished: Hairline



JLF76-09 HEADRAIL END CLAMP FOR 25φ PIPE



Material: 304 or 316 Stainless Steel  
Finished: Hairline




## PANEL HOLDER/CONNECTOR

JLF76-07A PANEL HOLDER




Material: 304 or 316 Stainless Steel  
Finished: Hairline



JLF76-10 T CONNECTOR FOR 25φ PIPE




Material: 304 or 316 Stainless Steel  
Finished: Hairline



JLF76-07B PANEL HOLDER




Material: 304 or 316 Stainless Steel  
Finished: Hairline



HZ-F05 PANEL HOLDER FOR 25φ PIPE



Material: 304 or 316 Stainless Steel  
Finished: Hairline  
Fixed on the top of pilasters






# PANEL HOLDER/CONNECTOR


**HZ-K05 PANEL HOLDER FOR 25φ PIPE**




Material: 304 or 316 Stainless Steel  
 Finished: Hairline  
 Fixed on the back of pilasters




**JLF H-RAIL 18**




Material: Aluminum  
 Finished: Hairline, Black  
 Use for 12/15/18mm Panel  
 Length: 6m



**JLF U-RAIL 16**




Material: Aluminum  
 Finished: Hairline, Black  
 Use for 12/18mm Panel  
 Length: 4m




**JLF H-RAIL 19**




Material: Aluminum  
 Finished: Anodize  
 Use For 18mm Panel  
 Length: 6m




**JLF U-RAIL 17**




Material: Aluminum  
 Finished: Anodize  
 Use For 12/18mm Panel  
 Length: 6m




**JLF h-RAIL 18**




Material: Aluminum  
 Finished: Hairline, Black  
 Use for 12/18mm Panel  
 Length: 3.7m/4m




**JLF U-RAIL 19**




Material: Aluminum  
 Finished: Hairline, Black  
 Use for 12/18mm Panel  
 Length: 6m



**JLF h-RAIL 19**



Material: Aluminum  
 Finished: Hairline, Black  
 Use for 12/18mm Panel  
 Length: 3.7m/4m




# PANEL HOLDER/CONNECTOR

JLF DOOR STOPPER




Material: 304 Stainless Steel  
Finished: Hairline




JLF RM-6




Material: Aluminum  
Finished: Anodized or Powder Coated Black  
Length: 6m  
Use For 12mm/13mm/18mm/19mm Panel  
\*End Cap Available



JLF CORNER EDGE 1




Material: Aluminum  
Finished: Anodize  
Use For 12/18mm Panel  
Length: 6m



JLF-H-18-27 TOP RAIL




Material: Aluminum  
Finished: Anodized or Powder Coated Black  
Length: 6m



JLF CORNER EDGE 2




Material: Aluminum  
Finished: Anodized or Powder Coated Black  
Use For 18mm Panel  
Length: 6m




JLF-H-36-37 TOP RAIL




Material: Aluminum  
Finished: Anodized or Powder Coated Black  
Length: 6m




JLF CORNER EDGE 3




Material: Aluminum  
Finished: Anodized or Powder Coated Black  
Use For 12mm Panel  
Length: 6m



JLF TR 10 h RAIL



Material: Aluminum  
Finished: Hairline  
Use For 12mm Panel  
Length: 6m




# PANEL HOLDER/CONNECTOR

JLF-H-12-19 TOP RAIL




Material: Aluminum  
 Finished: Anodize  
 Use For 12mm/13mm/18mm/19mm Panel  
 Length: 6m



JLF-DNE-18 Door Frame




Material: Aluminum  
 Finished: Anodize  
 Length: 6m  
 Use For 12mm/18mm Panel



JLF TR 17 TOP RAIL




Material: 304 Stainless Steel  
 Finished: Hairline



JLF-DNE37-2 Door Frame




Material: Aluminum  
 Finished: Anodize  
 Length: 6m  
 Use For 37mm Panel



JLF TR 18 TOP RAIL




Material: Aluminum  
 Finished: Hairline  
 Use For 12mm/18mm Panel  
 Length: 6m



JLF-H-12-16 TOP RAIL




Material: Aluminum  
 Finished: Anodize  
 Use For 12mm/13mm/16mm Panel  
 Length: 6m



JLF MK-07 TOP RAIL



Material: Aluminum  
 Finished: Anodize  
 Use For 12/13/15mm Panel  
 Length: 6m



JLF-SS001 TOP RAIL



Material: 304 Stainless Steel  
 Finished: Brushed  
 Use For 12mm/13mm/18mm/19mm Panel  
 Length: 6m

